

# Compactness of Lim-inf Topology

Grzegorz Bancerek  
University of Białystok

Noboru Endou  
Shinshu University  
Nagano

**Summary.** Formalization of [14], chapter III, section 3 (3.4–3.6).

MML Identifier: WAYBEL33.

WWW: <http://mizar.org/JFM/Vol13/waybel33.html>

The articles [22], [11], [27], [23], [26], [13], [28], [29], [9], [10], [18], [19], [16], [1], [2], [20], [3], [15], [24], [30], [4], [17], [25], [12], [8], [5], [6], [21], and [7] provide the notation and terminology for this paper.

Let  $L$  be a non empty poset, let  $X$  be a non empty subset of  $L$ , and let  $F$  be a filter of  $2_{\subseteq}^X$ . The functor  $\liminf F$  yielding an element of  $L$  is defined by:

(Def. 1)  $\liminf F = \bigsqcup_L \{\inf B; B \text{ ranges over subsets of } L: B \in F\}$ .

We now state the proposition

- (1) Let  $L_1, L_2$  be complete lattices. Suppose the relational structure of  $L_1 =$  the relational structure of  $L_2$ . Let  $X_1$  be a non empty subset of  $L_1$ ,  $X_2$  be a non empty subset of  $L_2$ ,  $F_1$  be a filter of  $2_{\subseteq}^{X_1}$ , and  $F_2$  be a filter of  $2_{\subseteq}^{X_2}$ . If  $F_1 = F_2$ , then  $\liminf F_1 = \liminf F_2$ .

Let  $L$  be a non empty FR-structure. We say that  $L$  is lim-inf if and only if:

(Def. 2) The topology of  $L = \xi(L)$ .

One can verify that every non empty FR-structure which is lim-inf is also topological space-like.

Let us observe that every top-lattice which is trivial is also lim-inf.

One can check that there exists a top-lattice which is lim-inf, continuous, and complete.

Next we state several propositions:

- (2) Let  $L_1, L_2$  be non empty 1-sorted structures. Suppose the carrier of  $L_1 =$  the carrier of  $L_2$ . Let  $N_1$  be a net structure over  $L_1$ . Then there exists a strict net structure  $N_2$  over  $L_2$  such that
- (i) the relational structure of  $N_1 =$  the relational structure of  $N_2$ , and
  - (ii) the mapping of  $N_1 =$  the mapping of  $N_2$ .
- (3) Let  $L_1, L_2$  be non empty 1-sorted structures. Suppose the carrier of  $L_1 =$  the carrier of  $L_2$ . Let  $N_1$  be a net structure over  $L_1$ . Suppose  $N_1 \in \text{NetUniv}(L_1)$ . Then there exists a strict net  $N_2$  in  $L_2$  such that
- (i)  $N_2 \in \text{NetUniv}(L_2)$ ,
  - (ii) the relational structure of  $N_1 =$  the relational structure of  $N_2$ , and
  - (iii) the mapping of  $N_1 =$  the mapping of  $N_2$ .

(4) Let  $L_1, L_2$  be inf-complete up-complete semilattices. Suppose the relational structure of  $L_1 =$  the relational structure of  $L_2$ . Let  $N_1$  be a net in  $L_1$  and  $N_2$  be a net in  $L_2$ . Suppose that

- (i) the relational structure of  $N_1 =$  the relational structure of  $N_2$ , and
- (ii) the mapping of  $N_1 =$  the mapping of  $N_2$ .

Then  $\liminf N_1 = \liminf N_2$ .

(5) Let  $L_1, L_2$  be non empty 1-sorted structures. Suppose the carrier of  $L_1 =$  the carrier of  $L_2$ . Let  $N_1$  be a net in  $L_1$  and  $N_2$  be a net in  $L_2$ . Suppose that

- (i) the relational structure of  $N_1 =$  the relational structure of  $N_2$ , and
- (ii) the mapping of  $N_1 =$  the mapping of  $N_2$ .

Let  $S_1$  be a subnet of  $N_1$ . Then there exists a strict subnet  $S_2$  of  $N_2$  such that

- (iii) the relational structure of  $S_1 =$  the relational structure of  $S_2$ , and
- (iv) the mapping of  $S_1 =$  the mapping of  $S_2$ .

(6) Let  $L_1, L_2$  be inf-complete up-complete semilattices. Suppose the relational structure of  $L_1 =$  the relational structure of  $L_2$ . Let  $N_1$  be a net structure over  $L_1$  and  $a$  be a set. Suppose  $\langle N_1, a \rangle \in$  the lim inf convergence of  $L_1$ . Then there exists a strict net  $N_2$  in  $L_2$  such that

- (i)  $\langle N_2, a \rangle \in$  the lim inf convergence of  $L_2$ ,
- (ii) the relational structure of  $N_1 =$  the relational structure of  $N_2$ , and
- (iii) the mapping of  $N_1 =$  the mapping of  $N_2$ .

(7) Let  $L_1, L_2$  be non empty 1-sorted structures,  $N_1$  be a non empty net structure over  $L_1$ , and  $N_2$  be a non empty net structure over  $L_2$ . Suppose that

- (i) the relational structure of  $N_1 =$  the relational structure of  $N_2$ , and
- (ii) the mapping of  $N_1 =$  the mapping of  $N_2$ .

Let  $X$  be a set. If  $N_1$  is eventually in  $X$ , then  $N_2$  is eventually in  $X$ .

(8) Let  $L_1, L_2$  be inf-complete up-complete semilattices. Suppose the relational structure of  $L_1 =$  the relational structure of  $L_2$ . Then  $\text{ConvergenceSpace}(\text{the lim inf convergence of } L_1) = \text{ConvergenceSpace}(\text{the lim inf convergence of } L_2)$ .

(9) Let  $L_1, L_2$  be inf-complete up-complete semilattices. Suppose the relational structure of  $L_1 =$  the relational structure of  $L_2$ . Then  $\xi(L_1) = \xi(L_2)$ .

Let  $R$  be an inf-complete non empty reflexive relational structure. Observe that every topological augmentation of  $R$  is inf-complete.

Let  $R$  be a semilattice. Note that every topological augmentation of  $R$  has g.l.b.'s.

Let  $L$  be an inf-complete up-complete semilattice. One can verify that there exists a topological augmentation of  $L$  which is strict and lim-inf.

The following proposition is true

- (10) Let  $L$  be an inf-complete up-complete semilattice and  $X$  be a lim-inf topological augmentation of  $L$ . Then  $\xi(L) =$  the topology of  $X$ .

Let  $L$  be an inf-complete up-complete semilattice. The functor  $\Xi(L)$  yields a strict topological augmentation of  $L$  and is defined as follows:

(Def. 3)  $\Xi(L)$  is lim-inf.

Let  $L$  be an inf-complete up-complete semilattice. Note that  $\Xi(L)$  is lim-inf.

We now state a number of propositions:

- (11) For every complete lattice  $L$  and for every net  $N$  in  $L$  holds  $\liminf N = \bigsqcup_L \{\inf(N|i) : i \text{ ranges over elements of } N\}$ .

- (12) Let  $L$  be a complete lattice,  $F$  be a proper filter of  $2_{\subseteq}^{\Omega L}$ , and  $f$  be a subset of  $L$ . Suppose  $f \in F$ . Let  $i$  be an element of the net of  $F$ . If  $i_2 = f$ , then  $\inf f = \inf((\text{the net of } F) \upharpoonright i)$ .
- (13) For every complete lattice  $L$  and for every proper filter  $F$  of  $2_{\subseteq}^{\Omega L}$  holds  $\liminf F = \liminf(\text{the net of } F)$ .
- (14) For every complete lattice  $L$  and for every proper filter  $F$  of  $2_{\subseteq}^{\Omega L}$  holds the net of  $F \in \text{NetUniv}(L)$ .
- (15) Let  $L$  be a complete lattice,  $F$  be an ultra filter of  $2_{\subseteq}^{\Omega L}$ , and  $p$  be a greater or equal to id map from the net of  $F$  into the net of  $F$ . Then  $\liminf F \geq \inf((\text{the net of } F) \cdot p)$ .
- (16) Let  $L$  be a complete lattice,  $F$  be an ultra filter of  $2_{\subseteq}^{\Omega L}$ , and  $M$  be a subnet of the net of  $F$ . Then  $\liminf F = \liminf M$ .
- (17) Let  $L$  be a non empty 1-sorted structure,  $N$  be a net in  $L$ , and  $A$  be a set. Suppose  $N$  is often in  $A$ . Then there exists a strict subnet  $N'$  of  $N$  such that  $\text{rng}(\text{the mapping of } N') \subseteq A$  and  $N'$  is a structure of a subnet of  $N$ .
- (18) Let  $L$  be a complete lim-inf top-lattice and  $A$  be a non empty subset of  $L$ . Then  $A$  is closed if and only if for every ultra filter  $F$  of  $2_{\subseteq}^{\Omega L}$  such that  $A \in F$  holds  $\liminf F \in A$ .
- (19) For every non empty reflexive relational structure  $L$  holds  $\sigma(L) \subseteq \xi(L)$ .
- (20) Let  $T_1, T_2$  be non empty topological spaces and  $B$  be a prebasis of  $T_1$ . Suppose  $B \subseteq$  the topology of  $T_2$  and the carrier of  $T_1 \in$  the topology of  $T_2$ . Then the topology of  $T_1 \subseteq$  the topology of  $T_2$ .
- (21) For every complete lattice  $L$  holds  $\omega(L) \subseteq \xi(L)$ .
- (22) Let  $T_1, T_2$  be topological spaces and  $T$  be a non empty topological space. Suppose  $T$  is a topological extension of  $T_1$  and a topological extension of  $T_2$ . Let  $R$  be a refinement of  $T_1$  and  $T_2$ . Then  $T$  is a topological extension of  $R$ .
- (23) Let  $T_1$  be a topological space,  $T_2$  be a topological extension of  $T_1$ , and  $A$  be a subset of  $T_1$ . Then
- (i) if  $A$  is open, then  $A$  is an open subset of  $T_2$ , and
  - (ii) if  $A$  is closed, then  $A$  is a closed subset of  $T_2$ .
- (24) For every complete lattice  $L$  holds  $\lambda(L) \subseteq \xi(L)$ .
- (25) Let  $L$  be a complete lattice,  $T$  be a lim-inf topological augmentation of  $L$ , and  $S$  be a Lawson correct topological augmentation of  $L$ . Then  $T$  is a topological extension of  $S$ .
- (26) For every complete lim-inf top-lattice  $L$  and for every ultra filter  $F$  of  $2_{\subseteq}^{\Omega L}$  holds  $\liminf F$  is a convergence point of  $F, L$ .
- (27) Every complete lim-inf top-lattice is compact and  $T_1$ .

## REFERENCES

- [1] Grzegorz Bancerek. Complete lattices. *Journal of Formalized Mathematics*, 4, 1992. <http://mizar.org/JFM/Vol14/lattice3.html>.
- [2] Grzegorz Bancerek. Bounds in posets and relational substructures. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol18/yellow\\_0.html](http://mizar.org/JFM/Vol18/yellow_0.html).
- [3] Grzegorz Bancerek. Directed sets, nets, ideals, filters, and maps. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol18/waybel\\_0.html](http://mizar.org/JFM/Vol18/waybel_0.html).
- [4] Grzegorz Bancerek. Prime ideals and filters. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol18/waybel\\_7.html](http://mizar.org/JFM/Vol18/waybel_7.html).
- [5] Grzegorz Bancerek. Bases and refinements of topologies. *Journal of Formalized Mathematics*, 10, 1998. [http://mizar.org/JFM/Vol10/yellow\\_9.html](http://mizar.org/JFM/Vol10/yellow_9.html).

- [6] Grzegorz Bancerek. The Lawson topology. *Journal of Formalized Mathematics*, 10, 1998. <http://mizar.org/JFM/Vol10/waybel19.html>.
- [7] Grzegorz Bancerek, Noboru Endou, and Yuji Sakai. On the characterizations of compactness. *Journal of Formalized Mathematics*, 13, 2001. <http://mizar.org/JFM/Vol13/yellow19.html>.
- [8] Józef Białas and Yatsuka Nakamura. Dyadic numbers and  $T_4$  topological spaces. *Journal of Formalized Mathematics*, 7, 1995. <http://mizar.org/JFM/Vol7/urysohn1.html>.
- [9] Czesław Byliński. Functions and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/funct\\_1.html](http://mizar.org/JFM/Vol1/funct_1.html).
- [10] Czesław Byliński. Functions from a set to a set. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/funct\\_2.html](http://mizar.org/JFM/Vol1/funct_2.html).
- [11] Czesław Byliński. Some basic properties of sets. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/zfmisc\\_1.html](http://mizar.org/JFM/Vol1/zfmisc_1.html).
- [12] Agata Darmochwał. Compact spaces. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/compts\\_1.html](http://mizar.org/JFM/Vol1/compts_1.html).
- [13] Agata Darmochwał. Finite sets. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/finset\\_1.html](http://mizar.org/JFM/Vol1/finset_1.html).
- [14] G. Gierz, K.H. Hofmann, K. Keimel, J.D. Lawson, M. Mislove, and D.S. Scott. *A Compendium of Continuous Lattices*. Springer-Verlag, Berlin, Heidelberg, New York, 1980.
- [15] Adam Grabowski and Robert Milewski. Boolean posets, posets under inclusion and products of relational structures. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol8/yellow\\_1.html](http://mizar.org/JFM/Vol8/yellow_1.html).
- [16] Zbigniew Karno. Maximal discrete subspaces of almost discrete topological spaces. *Journal of Formalized Mathematics*, 5, 1993. [http://mizar.org/JFM/Vol5/tex\\_2.html](http://mizar.org/JFM/Vol5/tex_2.html).
- [17] Artur Kornilowicz. On the topological properties of meet-continuous lattices. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol8/waybel\\_9.html](http://mizar.org/JFM/Vol8/waybel_9.html).
- [18] Beata Padlewska. Families of sets. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/setfam\\_1.html](http://mizar.org/JFM/Vol1/setfam_1.html).
- [19] Beata Padlewska and Agata Darmochwał. Topological spaces and continuous functions. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/pre\\_topc.html](http://mizar.org/JFM/Vol1/pre_topc.html).
- [20] Alexander Yu. Shibakov and Andrzej Trybulec. The Cantor set. *Journal of Formalized Mathematics*, 7, 1995. [http://mizar.org/JFM/Vol7/cantor\\_1.html](http://mizar.org/JFM/Vol7/cantor_1.html).
- [21] Bartłomiej Skorulski. Lim-inf convergence. *Journal of Formalized Mathematics*, 12, 2000. <http://mizar.org/JFM/Vol12/waybel28.html>.
- [22] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. <http://mizar.org/JFM/Axiomatics/tarski.html>.
- [23] Andrzej Trybulec. Tuples, projections and Cartesian products. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/mcart\\_1.html](http://mizar.org/JFM/Vol1/mcart_1.html).
- [24] Andrzej Trybulec. Moore-Smith convergence. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol8/yellow\\_6.html](http://mizar.org/JFM/Vol8/yellow_6.html).
- [25] Andrzej Trybulec. Scott topology. *Journal of Formalized Mathematics*, 9, 1997. <http://mizar.org/JFM/Vol9/waybel11.html>.
- [26] Wojciech A. Trybulec. Partially ordered sets. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/orders\\_1.html](http://mizar.org/JFM/Vol1/orders_1.html).
- [27] Zinaida Trybulec. Properties of subsets. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/subset\\_1.html](http://mizar.org/JFM/Vol1/subset_1.html).
- [28] Edmund Woronowicz. Relations and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/relat\\_1.html](http://mizar.org/JFM/Vol1/relat_1.html).
- [29] Edmund Woronowicz. Relations defined on sets. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/relset\\_1.html](http://mizar.org/JFM/Vol1/relset_1.html).
- [30] Mariusz Żynel and Czesław Byliński. Properties of relational structures, posets, lattices and maps. *Journal of Formalized Mathematics*, 8, 1996. [http://mizar.org/JFM/Vol8/yellow\\_2.html](http://mizar.org/JFM/Vol8/yellow_2.html).

Received July 29, 2001

Published January 2, 2004

---